



Jednostavno dokumentiranje složenih mapiranja pomoću Mapper aplikacije

Maja Tarle
S&T HRVATSKA

16. konferencija HrOUG, Rovinj, listopad 2011.

- Što je Mapper aplikacija?
- Kako i zašto koristiti Mapper?
- Pregled sučelja i funkcionalnosti aplikacije
- DEMO prikaz korištenja aplikacije
- Način spremanja podataka
- Dodana vrijednost
 - sljedivost podataka
 - konzistencija tipova podataka
 - propagiranje promjena
 - reporting

Što je Mapper?



- aplikacija razvijena u Oracle Application Express-u (APEX)
- jednostavna aplikacija za dokumentiranje mapiranja
- omogućuje:
 - import modela izvora i targeta
 - kreiranje i ažuriranje mapiranja do nivoa atributa
 - validaciju mapiranja (konzistencija tipova podataka, pokrivenost entiteta/atributa)

Kako koristiti Mapper?



- pristup preko bilo kojeg web browsera
- preduvjeti:
 - Oracle baza podataka (repozitorij)
 - APEX 4.0 instaliran u bazi
 - Data Modeler repozitorij instaliran u bazi
- aplikacija se može vrlo jednostavno prilagođavati i mijenjati

Zašto koristiti Mapper?


Problemi

- više analitičara unosi/ažurira mapiranja
- puno CR-ova – stalne promjene modela
- administracija dokumenta tehničke specifikacije
- nekonzistentnost tipova podataka
- praćenje pokrivenosti
- praćenje podatka od izvora do krajnjih tablica

Rješenja

- stalno ažurna specifikacija na centralnoj lokaciji
- povijest praćenja promjena
- traceability (sljedivost) – daje uvid u to odgovaraju li svi elementi sustava definiranim ciljevima; povezivanje izvora s krajnjim tablicama

Sučelja Mapper aplikacije



Pregled mapiranja

Mappings - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Oracle | Hardware and Software, Engine... Mappings

http://127.0.0.1:8080/apex/f?p=108:1:3976389597747447::NO::: Logout

Mappings Mapped Columns

Mappings

Create

Group	Mapping Name	Update Type	Target Table	Primary Source Table	Description
USAGE	MAP_USAGE_UDR_FU	Insert/Update	Mapper Sample Model.F_USAGE	Mapper Sample Model.UDR	Update Usage records from BSCS's UDR_FU table
USAGE	MAP_USAGE_UDR	Insert	Mapper Sample Model.F_USAGE	Mapper Sample Model.UDR	Map Postpaid Usage records from BSCS's UDR table

1 - 2

ADMIN

Home Application 108 Edit Page 1 Create Session Caching View Debug Debug Show Edit Links

Unošenje i ažuriranje mapiranja

Edit Mappings - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Oracle | Hardware and Software, Engine... Edit Mappings

http://127.0.0.1:8080/apex/f?p=108:3:3976389597747447::NO:3:P3_MAPPING_ID:2

Logout

Mappings > Edit Mappings

Edit Mappings

Cancel Delete Apply Changes

Mapping Group: USAGE

Mapping Name: MAP_USAGE_UDR

Target Table: Mapper Sample Model.F_USAGE

Primary Source Table: Mapper Sample Model.UDR

Update Type: Insert Only

Map Postpaid Usage records from BSCS's UDR table

Description:

Created: 2011/06/02 12:53:55

Updated: 2011/06/02 13:04:54

Created By: ADMIN

Updated By: ADMIN

Home Application 108 Edit Page 3 Create Session Caching View Debug Debug Show Edit Links

ADMIN

Pregled mapiranih kolona

Mapped Columns - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Oracle | Hardware and Software, Engine... Mapped Columns

http://127.0.0.1:8080/apex/f?p=108:2:3976389597747447:SHOW_MAPPING:NO:RP,2:P2_MAPPING_ID,P2_TAR

Logout

Mappings Mapped Columns

Mappings > Mapped Columns

Mapping USAGE.MAP_USAGE_UDR Target Table Mapper Sample Model.F_USAGE

Actions Create Reset

Group	Mapping	#	Type	Target Table	Target Column	Source Table	Source Column	Description
USAGE	MAP_USAGE_UDR	1	Lookup	Mapper Sample Model.F_USAGE	HANDSET_ID_RATED	<no target>	<no source>	Get Handset via Rated IMEI; later update from CDRs (Kmargetic for details)
USAGE	MAP_USAGE_UDR	2	Lookup	Mapper Sample Model.F_USAGE	CELL_ID_RATED	<no target>	<no source>	Special case: for Roaming, do not map Cells because some irrelevant information is stored in Cell source field
USAGE	MAP_USAGE_UDR	3	Lookup	Mapper Sample Model.F_USAGE	SUBSCRIPTION_ID_OTHER	Mapper Sample Model.UDR	O_P_NORMED_NUM_ADDRESS	Lookup on Subscription Directory Numbers using Msisdn = O_P_NORMED_NUM_ADDRESS and (UDR.START_TIME_TIMESTAMP + UDR.START_TIME_OFFSET) between Valid_from_date and Valid_to_date and IS_Current_MSNID = 'Y'; Get Subscription ID
USAGE	MAP_USAGE_UDR	4	Direct	Mapper Sample Model.F_USAGE	OTHER_MSISDN	Mapper Sample Model.UDR	O_P_NORMED_NUM_ADDRESS	-
USAGE	MAP_USAGE_UDR	-	Lookup	Mapper Sample Model.F_USAGE	TARIFF_MODEL_ID_RATED	Mapper Sample Model.UDR	TARIFF_INFO_TMCODE	Lookup to Tariff Models using Source Code = TARIFF_INFO_TMCODE and Source System Code = 'BC'; get Tariff Model ID
USAGE	MAP_USAGE_UDR	-	Direct	Mapper Sample Model.F_USAGE	RATED_MSISDN	Mapper Sample Model.UDR	S_P_NUMBER_ADDRESS	-
USAGE	MAP_USAGE_UDR	-	Direct	Mapper Sample Model.F_USAGE	RATED_IMSI	Mapper Sample Model.UDR	S_P_PORT_ADDRESS	-
USAGE	MAP_USAGE_UDR	-	Direct	Mapper Sample Model.F_USAGE	RATED_IMEI	Mapper Sample Model.UDR	S_P_EQUIPMENT_NUMBER	-
USAGE	MAP_USAGE_UDR	-	Lookup	Mapper Sample Model.F_USAGE	SUBSCRIPTION_ID_RATED	Mapper Sample Model.UDR	CUST_INFO_CONTRACT_ID	Lookup to Subscriptions using Source ID = CUST_INFO_CONTRACT_ID; get Subscription ID
USAGE	MAP_USAGE_UDR	-	Lookup	Mapper Sample Model.F_USAGE	CUSTOMER_ACCOUNT_ID_RATED	Mapper Sample Model.UDR	CUST_INFO_CUSTOMER_ID	Lookup to Customer Accounts using Source ID = CUST_INFO_CUSTOMER_ID; get Customer Account ID

1 - 10

ADMIN

Home Application 105 Edit Page 2 Create Session Caching View Debug Debug Show Edit Links

Unošenje i ažuriranje mapiranih kolona

Edit Mapped Columns - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Oracle | Hardware and Software, Engine... Edit Mapped Columns

http://127.0.0.1:8080/apex/f?p=108:4:3976389597747447::NO:4:P4_LINE_ID:24

Logout

Mappings > Mapped Columns > Edit Mapped Columns

Edit Mapped Columns Cancel Delete Apply Changes

Mapping: USAGE.MAP_USAGE_UDR

Sequence: []

Transformation Type: Lookup

Target Table: Mapper Sample Model.F_USAGE

Target Column: TARIFF_MODEL_ID_RATED - Surrogate key to Tariff Model

Source Table: Mapper Sample Model.UDR

Source Column: TARIFF_INFO_TM_CODE - Common tariff information - Rate

Line Value: []

Description: Lookup to Tariff Models using Source Code = TARIFF_INFO_TM_CODE and Source System Code = 'BC'; get Tariff Model ID

Created: 2011/06/02 21:25:52

Updated: 2011/06/02 21:25:52

Created By: ADMIN

Updated By: ADMIN

Home Application 108 Edit Page 4 Create Session Caching View Debug Debug Show Edit Links

Korištenje Mappera - DEMO

OO16
hroug

s&t



Spremanje mapiranja

- tablica u bazi

```
create table map_mappings (
    mapping_id          integer not null
,   mapping_name       varchar2(256) not null
,   mapping_group      varchar2(256) not null
,   mapping_desc       varchar2(1000)
,   update_type        varchar2(20) not null
,   target_schema_name varchar2(256)
,   target_schema_id   varchar2(70)
,   target_table_name  varchar2(256)
,   target_table_id    varchar2(70)
,   source_schema_name varchar2(256)
,   source_schema_id   varchar2(70)
,   source_table_name  varchar2(256)
,   source_table_id    varchar2(70)
,   created_dt         date not null
,   updated_dt         date not null
,   created_by         varchar2(30) not null
,   updated_by         varchar2(30) not null
,   constraint map_pk primary key (mapping_id)
,   constraint map_u1 unique (mapping_name)
)
```


Spremanje mapiranih kolona

■ tablica u bazi

```
create table map_mapped_columns (
    mapping_id          integer not null
,   line_id            integer not null
,   line_type          varchar2(20) not null
,   line_value          varchar2(256)
,   line_desc           varchar2(1000)
,   line_sequence       integer
,   target_schema_name  varchar2(256)
,   target_schema_id    varchar2(70)
,   target_table_name   varchar2(256)
,   target_table_id     varchar2(70)
,   target_column_name  varchar2(256)
,   target_column_id    varchar2(70)
,   source_schema_name  varchar2(256)
,   source_schema_id    varchar2(70)
,   source_table_name   varchar2(256)
,   source_table_id     varchar2(70)
,   source_column_name  varchar2(256)
,   source_column_id    varchar2(70)
,   source_alt_schema_name  varchar2(256)
,   source_alt_schema_id  varchar2(70)
,   source_alt_table_name  varchar2(256)
,   source_alt_table_id   varchar2(70)
,   source_alt_column_name  varchar2(256)
,   source_alt_column_id   varchar2(70)
,   created_dt          date not null
,   updated_dt          date not null
,   created_by           varchar2(30) not null
,   updated_by           varchar2(30) not null
,   constraint mapcol_pk primary key (line_id)
,   constraint mapcol_map_fk foreign key (mapping_id) references map_mappings
        (mapping_id)
```

Korisne provjere

- pokrivenost source/targeta



Propagiranje promjena na tablicama



- promjena naziva/tipa podatka na source/target tablicama
- možemo provjeriti konzistentnost tipova podataka između source i target tablica

Nivo pristupa mapiranjima



- fleksibilnost u dodjeljivanju prava userima
- čitanje/pisanje
- dodjela prava na nivou pojedinih stranica aplikacije

Reporting

Mappings > Mapped Columns

Actions Create

Group	Mapping	#
Pvra	Customer Orders	-
Usage	Usage mapping	-

Selected Columns

Table Target Column Source Table Source Column Description

| ICES | FOUNDATION_ID | FI_MODEL_4V5_POST_OFFICE_H | POST_OFFICE_CODE | - |
| ELF_USAGE | DURATION | Mapper Sample Model.UDR | CUST_INFO_PORT_ID | - |

Filter Rows Per Page Format Flashback Save Report Reset Help Download

Mappings

Actions Create

Download Choose report download format:

CSV Cancel

Group	Mapping Name	Update Type	Target Table	Primary Source Table	Description	Created	Updated	Created By	Updated By
Customer	Customer Contacts	Insert/Update	DWH dim model.D_CONTACTS	FI_MODEL_4V5.CUST_ACC_CONTACTS	-	2011/10/02 06:03:59	2011/10/02 07:27:05	SNT	SNT
Usage	Usage mapping	Insert	Mapper Sample Model.F_USAGE	Mapper Sample Model.UDR	-	2011/10/02 06:36:18	2011/10/02 06:36:18	SNT	SNT
Pvra	Customer Orders	Other	DWH dim model.D_POST_OFFICES	FI_MODEL_4V5.RECHARGE_TYPES	-	2011/09/17 11:37:28	2011/10/02 07:27:19	SNT	SNT

Hvala na pažnji!



kontakt:

Maja Tarle

e-mail: Maja.Tarle@snt-world.com

www.snt.hr