



0017  
hroug

# Razvoj Java web aplikacija korištenjem WaveMaker razvojnog okruženja

Autori:

**Aleksander Radovan, Veleučilište Velika Gorica**  
**Tomislav Gligora, Veleučilište Velika Gorica**

## Uvod

*Open source platforma za RAD Java web,  
cloud i mobilnih aplikacija*

Omogućava programerima izradu RIA bez  
nužnog poznavanja programiranja

U pozadini koristi Spring, Hibernate, Dojo  
Toolkit i Tomcat

*Development se odvija unutar browsera  
(WaveMaker Studio)*

# Tko sve može koristiti WaveMaker?

OO17  
hroug

## Početnici

- Razvoj osnovnih Java web aplikacija bez potrebe za pisanje programskog koda
- Korištenje *drag-and-drop* alata

## Napredniji korisnici


- Mogućnost otvaranja Eclipse *workspacea* i nastavak razvoja, „fine tuning“ itd.

# Kada koristiti WaveMaker?

- RAD projekti
- *Form-driven database* aplikacije
- *Front-end* dio za SOA aplikacije

- Razvoj sustava sa složenim transakcijskim modelom
- Razvoj sustava sa složenim *workflowom*

# WaveMaker arhitektura



# WaveMaker Studio



# WaveMaker Studio arhitektura





## Podrška za baze podataka

Podržan razvoj web aplikacije koja koristi postojeću bazu podataka (import) ili kreirati novu (design)


Podržava HSQLDB (ugrađen), Oracle, PostgreSQL, MySQL, MSSQL i IBM DB2

Koristi ORM Hibernate, pri čemu *mappinge* generira automatski (XML)

# Korištenje postojeće baze



# Korištenje widgeta i templatea



The screenshot shows a web-based application interface for managing student data. At the top, there is a navigation bar with links: Open Page, Main, Language (set to default), Help, and a menu icon (dojoMenu1). Below the navigation bar, the application title "Studomat" is displayed next to a blue wave logo. A horizontal menu bar contains five items: Studenti, Kolegiji, Ispitni rokovi, Upisivanje kolegija, and Prijavljivanje ispita. The main content area is divided into two sections. The upper section, titled "Student", contains a table with columns: Id, Oib, Jmbag, Firstname, Lastname, and Birthdate. A single row is shown with values: Id=4, Oib=12312312312, Jmbag=1231231231231, Firstname=Perko, Lastname=Perić, and Birthdate=2012-07-18. The lower section, titled "Details", displays five input fields: Oib, Jmbag, Firstname, Lastname, and Birthdate. Each field has a corresponding editor component below it: jmbagEditor1, firstnameEditor1, lastnameEditor1, and birthdateEditor1. At the bottom of the "Details" section, there are four buttons: newButton1 (labeled NEW), studentLiveForm1EditPanel (labeled UPDATE), updateButton1 (labeled UPDATE), and deleteButton1 (labeled DELETE). The entire application is styled with a blue and white color scheme and features a clean, modern design.

## Deployment

Aplikacije se iz WaveMaker Studija mogu *deployati* na lokalni Tomcat server

Moguće je generirati WAR / EAR datoteku koji se može deployati na bilo koji Java server (Tomcat, WebSphere, Jboss, Glassfish, Weblogic itd.)

Podržan *deploy* i na *cloud* servere

## Licenciranje

Nakon što je ga je preuzela tvrtka VMware u ožujku 2011., ukinuta je Enterprise edition verzija (koja nije bila besplatna)

Sve funkcionalnosti su prebačene u jedinu *open source* verziju koja se distribuira pod Apache 2.0 licencom

Postoje verzije za Windows, MAC, Debian, Ubuntu, Redhat i CentOS

## WaveMaker i konkurenčija

Slične funkcionalnosti pružaju **Adobe Flex** i **Microsoft Lightswitch**

Flex je također *open source*, ali Eclipse based IDE Flex Builder se naplaćuje

Razvojno okruženje Visual Studio Lightswitch također nije besplatno

## Loše strane WaveMakera


Mogući performansi problemi zbog  
Hibernatea

Potreban dodatan oprez kod promjene  
strukture tablica u bazi podataka zbog  
mogućeg gubitka podataka

Promjena podatkovnog modela rezultira  
novi import cijele baze podataka

# Nova verzija 6.5.0 RC1

WaveMaker Deployment Options: Mobile and Web



# Hvala na pažnji!



## Pitanja?